. 0 &

In the Supreme Court of the United States

JOSEPH R. BIDEN, JR., PRESIDENT OF THE UNITED STATES, ET AL., *Applicants*,

v.

STATE OF MISSOURI, ET AL.

XAVIER BECERRA, SECRETARY OF HUMAN AND HEALTH SERVICES, ET AL., *Applicants*,

v.

STATE OF LOUISIANA, ET AL.

On Applications for Stays of Injunctions Issued by the United States District Courts for the Western District of Louisiana and Eastern District of Missouri Pending Appeals to the United States Courts of Appeals for the Fifth and Eighth Circuits

OTION OF MERICAN UBLIC EALTH SSOCIATION, SSOCIATION OF MERICAN EDICAL OLLEGES, EANS OF EADING CADEMIC ROGRAMS, AND EADING UBLIC EALTH AND EALTH OLICY CHOLARS OR EAVE TO ILE TTACHED RIEF AS *AMICI CURIAE* IN UPPORT OF PPLICANTS

NEIL K. SAWHNEY
GUPTA WESSLER PLLC
100 Pine Street, Suite 1250
San Francisco, CA 94111

DEEPAK GUPTA
Counsel of Record
JOANNE GRACE L. DELA PEÑA
GUPTA WESSLER PLLC
2001 K Street, NW
Suite 850 North
Washington, DC 20006
(202) 888-1741
deepak@guptawessler.com

Counsel for Amici Curiae

December 23, 2021

AMICUS

American Public Health Association, Association of American Medical Colleges, 22 deans of leading academic programs, and 126 leading public health and health policy scholars respectfully move for leave to file the attached brief as *amici curiae* in support of the applicants' applications for stays of injunctions issued by the United States District Courts for the Eastern District of Missouri and the Western District of Louisiana.

The proposed *amici* seek to file this brief to demonstrate to the Court that the overwhelming public-health and scientific consensus supports the need to mandate vaccination of eligible staff at Medicaid and Medicare facilities to protect Medicare and Medicaid patients, as well as the healthcare workers who provide them care. Through this brief, the proposed *amici* also seek to explain that well-established evidence, buttressed by more recent, cutting-edge empirical studies during the pandemic, shows that vaccination can effectively reduce SARS-CoV-2 exposure and transmission in healthcare settings. The proposed *amici* are concerned that the injunctions entered in these cases will delay measures needed to control the spread of COVID-19 and will further endanger American healthcare workers and patients.

Given the Court's expedited consideration of this matter of significant national interest, the proposed *amici* provided notice to all parties of their intent to file by email on December 22, 2021. Counsel for the respondents in No. 21A240 stated that they consent to the filing, and counsel for the respondents in No. 21A241 stated that they do not object to it. The applicants take no position on this motion.

Table of authorities ii

Interest of *amici curiae* and summary of argument 1

Argument 3

I. COVID-19 poses a uniquely grave risk to Medicare and Medicaid recipients and healthcare workers. 3

II. Vaccines are by far the most effective tools for reducing COVID-19 infection and transmission among patients and workers in the healthcare setting. 11

III. Ample evidence supports the Secretary's determination that staff vaccination will provide critical protection for patients and healthcare workers. 18

Conclusion 20

Appendix App.1

Douglas v. Independent Living Center of Southern California, Inc.,
565 U.S. 606 (2012) 20

South Bay United Pentecostal Church v. Newsom,
140 S. Ct. 1613 (2020) 19, 20

State of Florida v. Department of Health & Human Services,
19 F.4th 1271 (11th Cir 2021) 19

Thorpe v. Housing Authority of Durham,
393 U.S. 268 (1969) 20

42 U.S.C. § 1395i-3(d)(4)(B) 18

42 U.S.C. § 1395x(e)(9) 18

42 U.S.C. § 1396r(d)(4)(B) 18

T

Catherine H. Bozio et al., Centers for Disease Control and Prevention, *Laboratory-Confirmed COVID-19 Among Adults Hospitalized with COVID-19–Like Illness with Infection-Induced or mRNA Vaccine-Induced SARS-CoV-2 Immunity—Nine States*, *January–September 2021*, 70 Morbidity and Mortality Weekly Report 1539 (Oct. 29, 2021), https://perma.cc/RS9F-FPXJ 12

Alberto J. Caban-Martinez et al., *High Burden of COVID-19 among Unvaccinated Law Enforcement Officers and Firefighters*, medRxiv (*preprint*, posted Nov. 26, 2021) 15

Andrew Capp, *Amid court challenges, just 1% of impacted Ochsner staff rebuffs vax mandate*, Lafayette Daily Advertiser (Dec. 2, 2021), https://perma.cc/ZR9R-ULT6 16

Centers for Disease Control and Prevention, *Demographic Trends of COVID-19 cases and deaths in the US reported to CDC* (last visited December 22, 2021), https://perma.cc/9KLS-3K65 5

Centers for Disease Control and Prevention, *Risk of Severe Illness or Death from COVID-19* (December 10, 2020), https://perma.cc/D5L6-E7X2 7

M. Keith Chen et al., *Nursing home staff networks and COVID-19*, 118 Proceedings of National Academy of Sciences of United States of America 1 (Nov. 2020) 4, 8

Po Ying Chia et al., *Virological and serological kinetics of SARS-CoV-2 Delta variant vaccine-breakthrough infections: a multi-center cohort study*, medRxiv (*preprint*, posted July 31, 2021) 14

Bernard Condon & Matt Sedensky, *Nursing home to workers: Get vaccine or lose your job*, ABC News (Aug. 4, 2021), https://perma.cc/9EZT-6HWQ 17

Sally Hall Dykgraaf et al., *Protecting Nursing Homes and Long-Term Care Facilities From COVID-19: A Rapid Review of International Evidence*, 22 Journal of the American Medical Directors Association 1969 (Oct. 2021) 4, 8

Ezekiel J. Emanuel & David J. Skorton, *Mandating COVID-19 Vaccination for Health Care Workers*, Annals of Internal Medicine (Sept. 2021) 16

Ashley Fowlkes et al., Centers for Disease Control and Prevention, *Effectiveness of COVID-19 Vaccines in Preventing SARS-CoV-2 Infection Among Frontline Workers Before and During B.1.617.2 (Delta) Variant Predominance*, 70 Morbidity and Mortality Weekly Report 1167 (Aug. 27, 2021), https://perma.cc/Q3EW-4GYM 13

Dierdre McPhillips, *Risk of severe breakthrough Covid-19 higher for seniors and people with underlying conditions*, CNN (Sept. 8, 2021), https://perma.cc/3TKZ-X8UD 5

Med Center Health,

Eric C. Schneider et al., *The U.S. COVID-19 Vaccination Program at One Year: How Many Deaths and Hospitalizations Were Averted?*, Commonwealth Fund (Dec. 14, 2021), https://perma.cc/U5B7-8ZRX

Anne E. Watt et al., *State-wide Genomic Epidemiology Investigations of COVID-19 Infections in Healthcare Workers – Insights for Future Pandemic Preparedness*, medRxiv (*preprint,* posted Sept. 13, 2021) 8

Sarah Wild, *How the Omicron Variant Got So Many Scary Mutations So Quickly*, Scientific American (Dec. 3, 2021), https://perma.cc/59MN-AXTU 17

World Health Organization, *The impact of COVID-19 on health and care workers: a closer look at deaths*, Health Workforce Department – Working Paper 1, Geneva: World Health Organization (Sept. 2021), https://perma.cc/ZV42-KZYK 10

Annalee Yassi et al*., Infection control, occupational and public health measures including mRNA-based vaccination against SARS-CoV-2 infections to protect healthcare workers from variants of concern: a 14-month observational study using surveillance data*, 16 PLOS ONE (2021) 13, 14

Ting-Yu Yeh & Gregory P. Contreras, *Full vaccination against COVID-19 suppresses SARS-CoV-2 delta variant and spike gene mutation frequencies and generates purifying selection pressure*, medRxiv (*preprint*, posted Aug. 10, 2021) 17

AMICI CURIAE

As the Solicitor General persuasively explains, the Secretary of Health and Human Services acted well within his statutory authority in issuing a vaccination rule for healthcare facilities that receive federal dollars. *See* App. for Stay at 20–25, *Becerra v. Louisiana*, No. 21A241; App. for Stay at 18–24, *Biden v. Missouri*, No. 21A240. This brief—on behalf of many of the nation

Amici curiae file this brief to explain that the vaccination rule reflects this overwhelming scientific and public-health consensus. *Amici* are a diverse group of scholars and professional organizations of public health and healthcare practitioners who share a deep commitment to the health of American healthcare workers and patients. They include more than one hundred of the country's leading educators, scholars, and public health and healthcare professionals, as well as 22 deans and associate deans of leading academic programs across the United States. The individual *amici* are joined by the American Public Health Association and Association of American Medical Colleges, organizations dedicated to advancing public health and healthcare through education, research, and advocacy.[1]

pandemic, for example, up to one in six COVID-19 infections among hospitalized patients in England was caused by transmissions in healthcare settings.[7]

The risks of COVID-19 transmission and infection are compounded by the unique vulnerability of Medicare and Medicaid beneficiaries. Medicare recipients—primarily individuals who are over age 65—belong to the age group that has been at the greatest risk of hospitalization and death due to COVID-19. *See* 86 Fed. Reg. at 61,601. This cohort represents nearly 80 percent of all COVID-19 deaths.[8] And while infections, hospitalizations, and deaths initially declined after the widespread vaccination efforts in the first half of 2021, in recent months they have increased exponentially. *See* 86 Fed. Reg. at 61,559 ("Between late June 2021 and September 2021, daily cases of COVID-19 increased over 1200 percent; new hospital admissions, over 600 percent; and daily deaths, by nearly 800 percent."). The Centers for Disease Control and Prevention's data also shows that the new "waves" of COVID-19 pose a particularly grave threat to older individuals: about 70 percent of "breakthrough" infections that required hospitalization were among adults over age 65. More sobering still, this group accounted for 87 percent of all breakthrough deaths.[9]

---

[7] Alex Bhattacharya et al., *Healthcare-associated COVID-19 in England: A national data linkage study*, 83 J. of Infection 565, 565-72 (2021), http://doi.org/10.1016/j.jinf.2021.08.039; *see also* 86 Fed. Reg. at 61,557.

[8] *See* CDC, *Demographic Trends of COVID-19 cases and deaths in the US reported to CDC* (last visited December 22, 2021), https://perma.cc/9KLS-3K65.

[9] Fiona P. Havers et al., *COVID-19-associated hospitalizations among vaccinated and unvaccinated adults ≥18 years – COVID-NET, 13 states, January 1 – July 24, 2021*, medRxiv (*preprint*, posted July 24, 2021), http://doi.org/10.1101/2021.08.27.21262356; *see also* Dierdre McPhillips, *Risk of severe breakthrough Covid-19 higher for seniors and people with underlying conditions*, CNN (Sept. 8, 2021), https://perma.cc/3TKZ-X8UD.

correctly and consistently. 86 Fed. Reg. at 61,557. But, as CMS concluded, the evidence shows that lapses inevitably happen, and patient deaths can result. The vaccination rule cited multiple studies that demonstrate that transmission occurs between healthcare workers and patients even when universal masking and other protocols are in place. 86 Fed. Reg. at 61,557.[16] In many cases, healthcare staff are the linchpin—they are a "frequent source of risk through either introducing or transmitting infection" and are themselves "exposed to risk through attending [patients'] physical care needs," just as "their absence when unwell or quarantined ha[s] substantial impact on operations and [patient] well-being."[17] To take one example, a "cluster" of at least 55 infections at Baystate Medical Center in Massachusetts was traced to "staff who convened in a breakroom and removed their masks."[18]

This increased risk of viral transmission in healthcare settings has had a devastating effect on patients. One need look no further than the nation's nursing homes to understand

---

[16] *See, e.g.*, Chen, *supra* n.4; Jonne J. Sikkens et al., *Serologic Surveillance and Phylogenetic Analysis of SARS-CoV-2 Infection Among Hospital Health Care Workers*, 4 JAMA Network Open (July 28, 2021), http://doi.org/10.1001/jamanetworkopen.2021.18554; Anne E. Watt et al., *State-wide Genomic Epidemiology Investigations of COVID-19 Infections in Healthcare Workers – Insights for F/iCue FPnd eic FPrepre dnes*, FmedRxiv

the stunning toll: While residents of these facilities make up less than 1 percent of the U.S. population, they "accounted for more than 35 percent of all COVID-19 deaths in the first 12 months of the pandemic." 86 Fed. Reg. at 61,566; *see also id.* at 61,601. Other long-term care and residential facilities have also been hit hard. In Minnesota, for instance, four-fifth of total

19] test."[21] And these results comport with historical data: During the Ebola crisis, for instance, healthcare workers were around twenty to thirty times more likely to contract the disease than the general public. *Id.* at e481.

That the COVID-19 pandemic has been devasting for healthcare workers is also well-documented. The WHO estimates that between 80,000 and 180,000 health and care workers died from COVID-19 in the period between January 2020 to May 2021.[22] Even for healthcare staff who do not become seriously ill, the effects of a prolonged, global pandemic are still serious. A survey of more than 20,000 U.S. healthcare workers found that almost half experienced feelings of burnout, which was associated with fear of exposure or transmission, anxiety and depression, and work overload.[23] With every "wave" of new variants, healthcare facilities are forced to ration or cease routine services, repurpose clinical areas, redeploy staff to unfamiliar clinical environments, and ration personal protective equipment and medical resources due to unprecedented demand.[24] Frontline

---

[21] Long H. Nguyen et al., *Risk of COVID-19 among frontline healthcare workers and the general community: a prospective cohort study,* 5 Lancet Pub. Health e475, e478–79 (Sept. 2020), http://doi.org/10.1016/S2468-2667(20)30164-X.

[22] *See* WHO, *The impact of COVID-19 on health and care workers: a closer look at deaths*, Health Workforce Department – Working Paper 1, Geneva: World Health Organization, at 6–7 (Sept. 2021), https://perma.cc/ZV42-KZYK.

[23] Kriti Prasad et al., *Prevalence and correlates of stress and burnout among U.S. healthcare workers during the COVID-19 pandemic: A national cross-sectional survey study*, 35 EClinicalMedicine (May 2021),

healthcare workers involved in the management of COVID-19 are particularly exposed to overwhelming pressure and, unsurprisingly, report physical and mental exhaustion. *Id.* And the pandemic's effects on healthcare workers ripple far beyond individual health outcomes to the overall ability of our national healthcare system to deal with the crisis. As the CMS rule explains, staff absenteeism due to COVID–19-related exposures or illness exacerbates healthcare staffing shortages, disrupts patient care, and burdens staff that are already stretched impossibly thin. *See* 86 Fed. Reg. at 61,559.

There is no better way to prevent the transmission, morbidity, and mortality of COVID-19 than vaccination. So far, vaccines have prevented approximately 1.1 million additional COVID-19 deaths and 10.3 million COVID-19-related hospitalizations.[25] 91TJEMC 961 -2.4 /AM

aggregate significantly less likely to bring the virus into medical facilities. *Id* at 61,558–59.[31] *Second*, even those vaccinated workers who get infected are far less likely to spread the virus. *See, e.g.,* Marc C. Shamier et al., *Virological characteristics of SARS-CoV-2 vaccine breakthrough infections in health care workers*, medRxiv (*preprint*, posted Aug. 21, 2021), http://doi.org/10.1101/2021.08.20.21262158 (concluding that infectious virus shedding is reduced in cases of breakthrough infections among vaccinated healthcare workers). Both of these rationales are critically important for protecting Medicare and Medicaid patients—from elderly people and pregnant women to low-income children—who, as discussed, remain vulnerable to serious COVID-19 vaccinations even after they themselves are vaccinated. *See supra,* 5 n.9, 7.

While it is true that COVID-19 vaccines, like other vaccines, do not *completely* prevent transmission of COVID-19 to others, growing evidence shows that they significantly decrease it.[32] A recent study of vaccine uptake in nursing homes, for example,

---

[31] *See*, *e.g.*, Tamara Pilishvili et al., *Effectiveness of mRNA Covid-19 Vaccine among U.S. Health Care Personnel*, 385 N. Eng. J. Med. e90(1) (Sept. 22, 2021), http://doi.org/10.1056/NEJMoa2106599; Annalee Yassi et al*., Infection control, occupational and public health measures including mRNA-based vaccination against SARS-CoV-2 infections to protect healthcare workers from variants of concern: a 14-month observational study using surveillance data*, 16 PLOS ONE (2021), http://doi.org/10.1371/journal.pone.0254920.

[32] *See, e.g.*, Ashley Fowlkes et al., CDC, *Effectiveness of COVID-19 Vaccines in Preventing SARS-CoV-2 Infection Among Frontline Workers Before and During B.1.617.2 (Delta) Variant Predominance*, 70 Morbidity & Mortality Weekly Rpt. 1167 (Aug. 27, 2021), https://perma.cc/Q3EW-4GYM (finding that "full vaccination with COVID-19 vaccines was 80% effective in preventing" COVID-19 infection in frontline workers, "further affirming the highly protective benefit of full vaccination up to and through the most recent summer U.S. COVID-19 pandemic waves"); Anika Singanayagam et al., *Community transmission and viral load kinetics of SARS-CoV-2 Delta (B.1.617.2) variant*